



# Pull Tight Security Seal



Total: €133.00

Unit: the 100 seals

- The most efficient on the market
- Very robust
- Multi-purpose: identification, sealing, closure...

Whether you work in finance, construction, transport or any other sector, you need to protect your property or identify your equipment. SBE has selected its best product for you, which can be used in all situations.

## Multiple uses

This sealed cable has been designed to adapt to all the needs of technicians. Usable in all situations, it is mainly used for the **identification of lifting equipment** but also for **closing trucks and containers**. The availability of this product in several formats allows it to be used for the identification of fire extinguishers for the smallest format (1.5mm cable diameter) up to the closing of containers for international transport (5 mm cable diameter).

## Functional and practical

This metallic seal has an **aluminium head** and a **galvanised metal cable**. This seal is available in **4 different formats**: from smallest to largest we offer this seal with **cable diameters of 1.5mm, 2.5mm, 3.5mm, 5mm**. Respective to these sizes, these seals are resistant to a **pull force ranging from 330kg/ 600kg/ 1200kg to 1600kg**. All these seals have a **customisable tag** of 26x22x6mm / 26x22x6mm / 26x26x6mm / 38x30x6mm and a **cable length of 250mm**.



Product reference	Cable diameter	Tag size	Cable length	Resistance to pull force	Colours available	Standard
MSEC-AL-1-XX	1.5mm	26x22x6 mm	250 mm	330 kg	Gold, Red, Blue, Green, Black, Orange, Purple, Grey	/
MSEC-AL-2-XX	2.5mm	26x22x6 mm	250 mm	600 kg	Gold, Red, Blue, Green, Black, Orange, Purple, Grey	/
MSEC-AL-3-XX	3.5mm	26x26x6 mm	250 mm	1200 kg	Black	ISO 17712/2013, grade H (High security)
MSEC-AL-5-XX	5mm	38x30x6 mm	250 mm	1600 kg	Black	ISO 17712/2013, grade H (High security)

The security cable seal also has a manual closure with a built-in anti-return system. These seals are sold by packet of 100 with a neutral marking and consecutive numbering.

### Customisable

In order to **quickly identify each seal**, you can add a sequential number. The **aluminium tag** can receive **barcodes, QR-codes, Logos, text**, etc. engraved on request using our high-precision **laser engraver**. The cable length can be made to measure. *Lead times of 4 to 12 weeks (depending on quantity) should be allowed, along with the cost of printing plates for the first orders: contact us for full pricing.*

### A seal compliant with international standards

For our two largest sizes, the seals with a **3.5mm or 5mm diameter cable**, they meet the **international standard ISO 17712/2013, grade H** (High security). This international standard allows **your goods** to be **sent throughout the world**. (American, European,



Asian or African areas).

### **Different colours on request**

In stock in **red**, or **black** for the seals of **3.5 and 5mm** cable diameter. Also available for the two smallest sizes in other colours (gold, blue, green, black, orange, purple, grey).



### Caractéristiques du produit :

Unit	the 100 seals
Conditioning	In packs of 100
Guarantee	1 year
Ø Cable	1.5mm // 2.5mm // 3.5mm // 5mm
Material	Aluminum - Galvanized metal
Color	Gold, red, blue, green, black



**Cable diameter 1.5mm Ref. MSEC-AL-1-NR**

Quantités	Prix € HT
1	133 €



**Cable diameter 2.5mm Ref. MSEC-AL-2-NR**

Quantités	Prix € HT
1	144 €



**Cable diameter 3.5mm Ref. MSEC-AL-3-NR**

Quantités	Prix € HT
1	165 €



**Cable diameter 5mm Ref. MSEC-AL-5-NR**

Quantités	Prix € HT
1	277 €